

Shelves

Shelves for Low-Temp and Medium-Temp Merchandisers.



Shelves 2 Position, Multi-Position & Specialty Shelves

- New Wire Management System doesn't interfere with merchandising by tucking wires below the shelf.
- Load Rating Increase on Flat and Angled Shelves with the new bracket design allows increased merchandise load capacity and a closed stiffener improves shelf deflection regardless of shelf position.
- Positive Shelf Engagement with a lighter weight shelf for easier installation and new bracket features eliminate the false shelf standard engagement.
- Design Updates to the Front Shelf Lip, Tag Molding, and Shelf Stiffeners for cleanability.



Plexi Product Stop O5DM Bakery.



Wire Product Stop O5M Meat.



Peg Shelves O5DM Deli.

Quick Guide

| Shelf Name /Type | Load Rating Flat/Angled | Angles | Lengths | Depth | Heavy Duty | Tag Molding Available Plastic/ Metal | LED Wire Management System | Stainless Steel Availability? | Ecoblade Locating Features |
|---|----------------------------|-----------------|--------------------|-------------|------------|--|----------------------------------|----------------------------------|----------------------------------|
| 2 Position Shelves | | | | | | | | | |
| New Shelf Standard | 250/250 | 0/17 | 36, 48 (18, 60) | 10-26", 27" | Included | All | ✓ | | ✓ |
| New Shelf Standard (Door) | 150/100 | 0/17 | 30, XL | 18-26", 27" | Included | All | ✓ | | ✓ |
| New Shelf Heavy Duty | 400/250 | 0/17 | 30, 36, 48 | 16-24" | Included | All | ✓ | ✓ | ✓ |
| Origin2 Stainless (Bright & Brushed) | 250/150 | 0/17 | 30, 36, 48, 60 | 10-24" | Included | All | ✓ | ✓ | ✓ |
| 2 Position 0-10deg MT Islands | 150/100 | 0/10 | 30, 36, 48 | 14-24" | Optional | All | ✓ | ✓ | |
| Multi-Position Shelves | | | | | | | | | |
| 3 Position | 250/150 | 0/17/30 | 36 & 48 | 12-24" | | All | ✓ | | ✓ |
| 5 Position | 250/150 | 0/17/30/34/47 | 36 & 48 | 12-24" | | All | ✓ | | ✓ |
| Specialty Shelves | | | | | | | | | |
| PEG | 150 | 0 | 30, 36, 48 | 12-24" | | All | | | |
| Floral | 250/150 | 0/17 or 0/30 | 30, 36, 48 | 14-22" | | All | ✓ | | ✓ |
| Wire Shelves | 150/100 | 0/17 | 30 | 18, 22, 27" | | Special | | | |
| Mezzanine - Service | 100 | Flat | 36, 48, 72 | 10" & 12" | | All | | ✓ | |
| Wedge | 100 | Flat, 10, or 17 | Wedge | 10-24" | | Special | | ✓ | |

Shelves

Merchandising Options

- Shelf Fillers for airflow management when shelves are in an angled position
- Peg Hooks
- Shelf Dividers
- Shelf Baskets
- Product Stops
- Tag Molding

| Product Stops | Overall Height | 5" | 3.5" | 3.125" | 2.5" | 2.25" | 2.125" |
|---------------|------------------|-------|-------|--------|-------|-------|--------|
| | Effective Height | 3.75" | 2.25" | 1.875" | 1.25" | 1" | 0.875" |
| Plexi | Clear | ✓ | ✓ | ✓ | ✓ | ✓ | ✓ |
| Wire | Black or White | ✓ | ✓ | | | ✓ | |

| Tag Moulding | Standard | Slotted Flat | Slotted Angled |
|--------------|----------|--------------|----------------|
| Aluminum | | ✓ | ✓ |
| PVC | ✓ | ✓ | ✓ |

- Standard is for use with shelves in the flat position.
- Slotted Flat is for use with product stops with shelves in the flat or angled position.
- Slotted Angled is for use with product stops with shelves in the angled position.

Hillphoenix[®]

2016 Gees Mill Road
Conyers, GA 30013
770-285-3264

www.hillphoenix.com