
Reach-In Merchandisers from Hillphoenix • Anthony Hillphoenix

CL/ARITY

Hillphoenix and Anthony are industry leaders that supermarkets, supercenters, convenience stores and drug stores rely upon for dependable, efficient refrigeration solutions. CLARITY® reach-in cases bring that leadership into sharper focus by adding unmatched versatility that gives store merchandisers a wider choice of fitments for any application in any department.

No matter whether the purpose is meat, deli, seafood, beverage, dairy, produce,
frozen food or ice cream, CLARITY cases, customized with the ideal frame and
door options, deliver superior performance for every need. Multiple sizes and
configurations help store merchandisers provide unique refrigeration technology
and enhanced product displays to create a superior shopper experience.





CASES

MEDIUM AND LOW TEMP

Finding the right refrigeration and merchandising system that will both improve your operations and enhance the shopper experience begins by selecting the right case.

CLARITY® reach-in merchandisers deliver superior performance for every need. Multiple sizes and configurations help store merchandisers provide unique refrigeration options and enhanced product displays to create a superior shopper experience.

APPLICATION Frozen Food Beverage Ice Cream Floral **SHOWN ABOVE** VNRBH with Gray Infinity 60 Doors

V Series

These cases combine the aesthetic of full viewing through a wall of glass that enhances merchandising and provides customers with easy access to the top shelf.

FEATURES/ BENEFITS

- Up to 79" tall door coupled with 8" ultra-low front, maximizes product visibility and merchandising versatility for all applications.
- Large pack-out: Combination of the largest shelf & interior space.
- 24" (narrow version) or 27" (standard version) shelves from bottom to top without any planogram restrictions.
- Bottom-located refrigeration components facilitate serviceability and allow for full top-shelf merchandising with 66" or 72" interior height.
- Medium temp and low temp models match for consistency in store design.
- Provides the product viewing benefits of top coil case design in bottom coil case construction.
- For a wall of Infinity edge glass doors, choose the Infinity 60 doors (MT cases) and Infinity 90 doors (LT cases).

- · Creating walls of merchandise.
- Contemporary store aesthetics.
- Restricted floor space with maximum pack-out & facings.



















OSeries









ick-to-Back

Work Horse

Con


figurations

A tried and true fixture in the industry, the O Series has a solid reputation for performance that is still going strong today.

FEATURES/ BENEFITS

- Large pack-out capabilities with standard depth cases and 27" shelves.
- Exclusive 6-door case means one less unit in a typical lineup. that delivers installation, operational and maintenance benefits with one less set of connections and one less unit that has to be handled.
- All applications: Dairy, Meat, Deli, Produce, Beverage, Beer, Frozen Food and Ice Cream.
- Matching medium and low temp lineup options.
- Up to 64" interior merchandising height for optimal planogram design and product facings.
- Standard, narrow, high and back-to-back models are available with a variety of customer-specific configurations.
- · Rear-load options available with the ORBR.

- Traditional formats.
- Classic Origin design.
- Matching Origin case models to carry throughout store.







JSeries









ach™ nelf

Plug & Play Flexibility

lay Accı ty F


culine™Precision Self Production

J Series remote and self-contained merchandisers give you refrigeration options with 64" interior front facings and easy-to-reach top shelf.

FEATURES/ BENEFITS

- Acculine automated production process archives precise fit and finish in J Series Reach-in Cases.
- Precisely cut interlocking back panels, and drilled egresses with advanced robotics.
- Top wiring with quick connect electrical harnesses with mating ends for faster and correct installation.
- Available in Remote or Self-Contained refrigeration options.
- 64" interior merchandising height for optimal planogram design and product facings.
- All applications available: beverage, produce, bakery, dairy, deli, meat, seafood, frozen food and ice cream.
- Medium and Low-temperature merchandisers lineup cases seamlessly for a flawless in-store experience.
- Self-contained cases ship with top-mounted field Installed condensing units and a special base frame that allows the case to fit through an 80" door.

- Restricted floor space with large front facings.
- Locations with limited access to refrigeration.
- Traditional or small formats.







QCD Series












Narrow footprint with multiple configuration options and lines up with Q Series.

FEATURES/ BENEFITS

- Three Depths are Available: 26", 32", and 37".
- NSF Type I & II conditions for Deli Applications.
- NSF Type I for Meat Applications.
- Lines up seamlessly with Q Series models to keep the line of sight throughout the entire department.
- Multiple Configurations: line-up, back-to-back, or island.
- 61 3/4" interior merchandising height for planogram design and product facings.d special base frame allows the case to fit through 80" door.

- Restricted floor space with large front facings.
- Traditional or Small Format.
- Matching Q Series Cases throughout departments.



DOORS

MEDIUM AND LOW TEMP

Effective merchandising of a reach-in display case is like a warm welcome, inviting the shopper inside. The next step in enhancing the shopper experience is selecting the right door.

Anthony® doors allow your merchandise to be at center stage, beautifully illuminated with our lighting technology and within arm's reach of the shopper.

Choose from various colors, finishes and swings to create the Reach-In merchandising that matches your store aesthetics, pack-out and shopping engagement objectives.





Infinity 90

A contemporary, all-glass design incorporates an infinity edge for a superior, unobstructed display.

FEATURES/ BENEFITS

- Robust aluminum door rails ensure years of reliable performance.
- A slim 0.90" masking provides a stylish all-glass design with a large viewing area.
- 3-pane 1.95" thick glass pack.
- Hold-open feature allows easy stocking & shoppers' easy access to merchandise.
- Door stop feature limits how far the door opens to minimize impact with adjacent doors and shoppers.
- Energy-saving LED lights for enhanced illumination are an available option.
- Available in single or French (Bi-swing) door options.



Zero Ene



Energy-Efficien



Infinity Edge French Door



Infinity Edge Standard Swing

All-glass front. "L"-shaped rails wrap around back and side of glass pack. Magnetic door gasket ensures tight seal.






Infinity 60


This door's "all-glass, infinity edge design" maximizes product visibility for a friendlier, more accessible shopper experience.

FEATURES/ BENEFITS

- Energy-free, zero heat door.
- Polymer door rail design offers additional energy efficiency.
- 2-pane, 0.62" thick glass pack.
- Hold-open feature allows easy stocking and shoppers' easy access to all of the merchandise.
- Ultra-thin 0.62" masking all-glass doors, no center mullion and thin Vista handle increase product visibility and shopper access to merchandise.
- Door stop feature limits how far the door opens to minimize impact with adjacent doors and shoppers.
- Available in single or French (Bi-swing) door options.
- Energy-saving LED lights for enhanced illumination are an available option.









Infinity Edge Standard Swing

All-glass front. "L"-shaped door rails wrap around back and side of glass pack.



Vista C


Both energy savings and exceptional product visibility come as part of the package with the Vista C door.

FEATURES/ BENEFITS

- Energy-free doors deliver optimal cost savings.
- The design makes the most of thin 0.88", 2-pane, argon-filled, non-heated glass pack and heat reflective Low-E glass.
- Narrow, full-wrap aluminum door rails, thin Vista handle and no center mullions all improve shoppers' visibility and access.
- Hold-open feature allows easy stocking and shoppers easy access
- Door stop feature limits how far the door opens to minimize impact with adjacent doors and shoppers.
- Available in single or French (Bi-swing) door options.
- Energy-saving LED lights for enhanced illumination are an available option.







"U"-shaped rails wrap around back, side and front of glass pack.



1.92"→

ELMH


The perfect, energy-efficient door with smooth rail aesthetics.

FEATURES/ BENEFITS

- 1.25" thick, 3-pane, argon gas-filled glass pack with heat-reflective Low-E
- Smooth door rail 1.46" wide aluminum door rails enhance product visibility.
- Hold-open feature allows for easy stocking and shoppers' easy access to all
- Door stop feature minimizes impact with adjacent doors and shoppers.
- Magnetic door gasket for tight seals.
- Optional anti-fog coating helps improve clear time by reducing door fogging.







Energy-Efficient, Low Temperature

Metal Edge Standard Swing

"U"-shaped rails wrap around back, side and front of glass pack. Magnetic door gasket ensures tight seals.





ELMD


An energy-saving door with enhanced visibility that offers years of reliable performance.

FEATURES/ BENEFITS

- 1.25" thick, 3-pane, argon gas-filled glass pack with heat-reflective Low-E
- Decorative door rail 1.46" wide aluminum door rails enhance product visibility.
- Hold-open feature allows for easy stocking and shoppers' easy access to all of the merchandise.
- Door stop feature minimizes impact with adjacent doors and shoppers.
- Magnetic door gasket for tight seals.
- Optional anti-fog coating helps improve clear time by reducing door fogging.







Zero Energy, Medium Temperature Energy-Efficient, Low Temperature

"U"-shaped rails wrap around back, side and front of glass pack. Magnetic door gasket ensures tight seals.



LOW TEMP : FRAME & DOOR OPTIONS

		CASE	DIMENSION	s	APPLI	CATION				NL	JMBE	R OF D	00RS				1	01 LE FF	RAME
	Case Height*	Case Depth	Interior Height	Shelf Size	Frozen Food	Ice Cream	2	3	4	5	6	4	6	8	10	12	ELM D	ELM H	INFINITY 90
0 Series: Remote												Sta	ndard S	Swing : E	Back-to	-Back			
ORZ	85 1/4"	42"	60"	24", 27 "	√	√	√	√	✓	√	√						√	√	√
ORZH	89"	42"	64"	24", 27 "	√	√	√	√	√	√	√						√	√	√
ONRZ	85 1/4"	34 5/8"	60"	20", 22 "	√	√	√	√	✓	√	√						√	√	√
ONRZH	89"	34 5/8"	64"	20", 22 "	√	√	√	√	√	√	√						√	√	√
ONRIZ	85 1/4"	68 3/16"	60"	20", 22 "	√	√						√	√	√	√	√	√	√	√
ONRIZH	89"	68 3/16"	64"	20", 22 "	√	√						√	√	√	√	√	√	√	√
ORIZ	85 1/4"	82"	60"	24", 27 "	√	√						√	√	√	√	√	√	√	√
ORIZH	89"	82"	64"	24", 27 "	√	√						√	√	√	√	√	√	√	√
V Series: Remote																			
VNRZ	87 7/8"	37 1/8"	66"	22", 24 "	√	√	√	√	√	√							√	✓	√
VNRZH	93 7/8 "	37 1/8"	72"	22", 24 "	√	√	√	√	√	√							√	√	√
VNRIZ	87 7/8"	74 1/4"	66"	22", 24 "	√	√						√	√	√	√		√	√	√
VNRIZH	93 7/8 "	74 1/4"	72"	22", 24 "	√	√						√	√	√	√		√	√	√
J Series: Self-Containe	d																		
JNRZHSA	104 1/2"	34 5/8"	64"	20", 22"	√	√	√	√	√	√							√		√
J Series: Remote																			
JNRZH	82"	34 5/8"	64"	20", 22"	√	√	√	√	√	√							√		√
				-															

^{*} Includes 4" electrical box

Consult Technical Data Sheet for most up-to-date information. Measurements vary based on custom configurations and options.


MEDIUM TEMP : FRAME & DOOR OPTIONS


	(CASE DIM	IENSION	S		APP	LICATIO	ON			NUMB	ER OF	DOORS	; _	_ (CASE L	ENGTH	s _	101 F	RAME	VISTA	FRAME
	Case Height*	Case Depth	Interior Height	Shelf Sizes	Beverage	Floral	Dairy	Deli	Meat	2	3	4	5	6	4'	6'	8'	12'	ELM D	Infinity 90	Vista C	Infinity 60
0 Series	: Remote															Bi-S	Swing					
ONRM	85"	34 5/8"	60"	18" Angled					√						√		√	√		√	√	✓
ONRB	85"	34 5/8"	60"	20", 22"	√	√	√	√		√	√	√										
ONRBH	89"	34 5/8"	64"	20", 22"	√	√	√	√		√	√	√										
ORB	85"	42"	60"	24", 27"	√	√	√	√		Х	√	√	√									
ORBH	89"	42"	64"	24", 27"	√	√	√	√		√	√	√										
V Series:	Remote																					
VNRBS	67 7/8"	37 1/8"	46"	22", 24 "	√	√	√	√			√	√							√	√	√	√
VRB	87 7/8"	42 1/8"	66"	24", 27 "	√	√	√	√		√	√	√	√		√	√	√	√	√	√	√	√
VRBH	93 7/8 "	44"	72"	24", 27"	√	√	√	√		√	√	√	√		√	√	√	√	√	√	√	✓
VNRB	87 7/8"	37 1/8"	66"	22", 24 "	√	√	√	√		√	√	√	√		√	√	√	√	√	√	√	√
VNRBH	93 7/8 "	39 1/8"	72"	22", 24"	√	√	√	√		√	√	√	√		√	√	√	√	√	√	√	√
J Series: S	Self-Conta	ined																	Standa	rd Swing	Bi-S	Swing
JNRBHSA	104 1/2"	34 5/8"	64	20", 22"	√		√	√		√	√	√	√						√	√		
J Series: I	Remote																					
JNRBH	82"	34 5/8"	64"	20", 22"	✓	√	√	√		√	√	√	√						√	√		
Specialty	QCD: Ren	note																				
QCD	82"	26", 32", 37"	61 3/4"	12", 18", 21"	√	√	√	√	✓						√	√	√	√				√


^{*} Consult Technical Data Sheet for most up-to-date information. Measurements vary based on custom configurations and options. Shelf sizes in bold are recommended for optimal performance.





Case Models by Height






























































Door Options

Customize your Reach-In to meet your energy needs, and pick the perfect handle and finishes to match your store.

HANDLES





FINISHES



POLISHED ALUMINUM



SATIN SILVER



GRAY PLASTIC

DOOR OPTIONS Infinity 6 Door Energy Options Medium Tel 101 LE Frame, Door Rail Heat 101 LE Frame, Door Rail & Insulated Glass Pack Heat 101 or Vista Frame, Zero Energy Doors MT Rail Finish Silver Satin Polished Aluminum Black MT Gray MT Rail Attributes 2 Panes Rail Material Polymer & G Rail Width Masking Width Asking Width Dairy & Deli MT Meat (ONRM) Ice Cream & Frozen Food Produce MT Door Widths & Swing Styles Available 24" (4' Opening, Bi-Swing without center mullion) 4', 6' 8', 12' MT 30" - 2 thru 6 Doors, Standard Swing	Medium & Low Ter LT LT MT MT/LT MT/LT MT/LT 3 Panes Aluminum & Glass (M	MT MT MT 2 Panes	Medium & Low Temp LT LT MT MT/LT MT/LT MT/LT 3 Panes Aluminum 1.46" Decorative	ELM H Low Temp LT LT LT LT Sa Panes Aluminum 1.46"
101 LE Frame, Door Rail Heat 101 LE Frame, Door Rail & Insulated Glass Pack Heat 101 or Vista Frame, Zero Energy Doors MT Rail Finish Silver Satin Polished Aluminum Black MT Gray MT Rail Attributes 2 Panes Rail Material Polymer & G Rail Width Masking Width 0.62" Rail Design Infinity Edg Application Beverage & Beer MT Dairy & Deli Meat (ONRM) Ice Cream & Frozen Food Produce MT Door Widths & Swing Styles Avallable 24" (4" Opening, Bi-Swing without center mullion) 4", 6" 8", 12" MT	LT LT MT MT/LT MT/LT MT/LT MT/LT 3 Panes ass Aluminum & Glass (M 0.90" Infinity Edge	MT MT AT 2 Panes AT/LT) Aluminum 0.94" Smooth	LT LT MT MT/LT MT/LT MT/LT MT/LT 3 Panes Aluminum 1.46" Decorative	LT LT LT LT LT A Panes Aluminum 1.46"
101 LE Frame, Door Rail & Insulated Glass Pack Heat 101 or Vista Frame, Zero Energy Doors Rail Finish Silver Satin Polished Aluminum Black MT Gray MT Rail Attributes Rail Material Polymer & G Rail Width Masking Width Masking Width Dairy & Deli MT Meat (ONRM) Ice Cream & Frozen Food Produce MT Door Widths & Swing Styles Available 24" (4' Opening, Bi-Swing without center mullion) 4', 6' 8', 12' MT	MT/LT MT/LT MT/LT MT/LT MT/LT 3 Panes Aluminum & Glass (M 0.90" Infinity Edge	MT MT 2 Panes MT/LT) Aluminum 0.94" Smooth	LT MT MT MT/LT MT/LT MT/LT 3 Panes Aluminum 1.46" Decorative	LT LT LT LT 3 Panes Aluminum 1.46"
101 or Vista Frame, Zero Energy Doors Rail Finish Silver Satin Polished Aluminum Black MT Rail Attributes 2 Panes Rail Material Polymer & G Rail Width Masking Width 0.62" Rail Design Infinity Edg Application Beverage & Beer MT Dairy & Deli MT Meat (ONRM) Ice Cream & Frozen Food Produce MT Door Widths & Swing Styles Available 24" (4' Opening, Bi-Swing without center mullion) 4', 6' 8', 12' MT	MT/LT MT/LT MT/LT MT/LT 3 Panes ass Aluminum & Glass (M 0.90" Infinity Edge MT	MT MT 2 Panes MT/LT) Aluminum 0.94" Smooth	MT/LT MT/LT MT/LT MT/LT 3 Panes Aluminum 1.46" Decorative	LT LT LT 3 Panes Aluminum 1.46"
Rail Finish Silver Satin Polished Aluminum Black MT Gray MT Rail Attributes Rail Material Polymer & G Rail Width Masking Width Masking Width Beverage & Beer Dairy & Deli Meat (ONRM) Ince Cream & Frozen Food Produce MT Door Widths & Swing Styles Available 24" (4' Opening, Bi-Swing without center mullion) 4', 6' 8', 12' MT	MT/LT MT/LT MT/LT 3 Panes ass Aluminum & Glass (M 0.90" e Infinity Edge	MT MT 2 Panes MT/LT) Aluminum 0.94" Smooth	MT/LT MT/LT MT/LT 3 Panes Aluminum 1.46" Decorative	LT LT 3 Panes Aluminum 1.46"
Silver Satin Polished Aluminum Black Gray MT Rail Attributes 2 Panes Rail Material Polymer & G Rail Width Masking Width Masking Width Design Beverage & Beer MT Dairy & Deli Meat (ONRM) Ice Cream & Frozen Food Produce MT Door Widths & Swing Styles Available 24" (4' Opening, Bi-Swing without center mullion) 4', 6' 8', 12' MT	MT/LT MT/LT 3 Panes ass Aluminum & Glass (M 0.90" e Infinity Edge	MT 2 Panes MT/LT) Aluminum 0.94" Smooth	MT/LT MT/LT 3 Panes Aluminum 1.46" Decorative	LT LT 3 Panes Aluminum 1.46"
Polished Aluminum Black MT Gray MT Rail Attributes 2 Panes Rail Material Polymer & G Rail Width Masking Width 0.62" Rail Design Infinity Edg Application Beverage & Beer MT Dairy & Deli Meat (ONRM) Ice Cream & Frozen Food Produce MT Door Widths & Swing Styles Available 24" (4' Opening, Bi-Swing without center mullion) 4', 6' 8', 12' MT	MT/LT MT/LT 3 Panes ass Aluminum & Glass (M 0.90" e Infinity Edge	MT 2 Panes MT/LT) Aluminum 0.94" Smooth	MT/LT MT/LT 3 Panes Aluminum 1.46" Decorative	LT LT 3 Panes Aluminum 1.46"
Black Gray MT Rail Attributes Rail Material Polymer & G Rail Width Masking Width O.62" Rail Design Infinity Edg Application Beverage & Beer MT Dairy & Deli MT Meat (ONRM) Ice Cream & Frozen Food Produce MT Door Widths & Swing Styles Available 24" (4' Opening, Bi-Swing without center mullion) 4', 6' 8', 12' MT	MT/LT 3 Panes ass Aluminum & Glass (M 0.90" e Infinity Edge	2 Panes MT/LT) Aluminum 0.94" Smooth	MT/LT 3 Panes Aluminum 1.46" Decorative	3 Panes Aluminum 1.46"
Gray Rail Attributes 2 Panes Rail Material Polymer & G Rail Width Masking Width 0.62" Rail Design Infinity Edg Application Beverage & Beer MT Dairy & Deli Meat (ONRM) Ice Cream & Frozen Food Produce MT Door Widths & Swing Styles Available 24" (4' Opening, Bi-Swing without center mullion) 4', 6' 8', 12' MT	3 Panes ass Aluminum & Glass (M 0.90" e Infinity Edge	2 Panes MT/LT) Aluminum 0.94" Smooth	3 Panes Aluminum 1.46" Decorative	3 Panes Aluminum 1.46"
Rail Attributes Rail Material Polymer & G Rail Width Masking Width O.62" Rail Design Infinity Edg Application Beverage & Beer MT Dairy & Deli MT Meat (ONRM) Ice Cream & Frozen Food Produce MT Door Widths & Swing Styles Available 24" (4' Opening, Bi-Swing without center mullion) 4', 6' 8', 12' MT	O.90" Infinity Edge	AT/LT) Aluminum 0.94" Smooth	Aluminum 1.46" Decorative	Aluminum 1.46"
Rail Material Polymer & G Rail Width Masking Width 0.62" Rail Design Infinity Edg Application Beverage & Beer MT Dairy & Deli MT Meat (ONRM) MT Ice Cream & Frozen Food Produce MT Door Widths & Swing Styles Available 24" (4' Opening, Bi-Swing without center mullion) 4', 6' 8', 12' MT	O.90" Infinity Edge	AT/LT) Aluminum 0.94" Smooth	Aluminum 1.46" Decorative	Aluminum 1.46"
Rail Width Masking Width O.62" Rail Design Infinity Edg Application Beverage & Beer MT Dairy & Deli MT Meat (ONRM) Ice Cream & Frozen Food Produce MT Door Widths & Swing Styles Available 24" (4' Opening, Bi-Swing without center mullion) 4', 6' 8', 12' MT	0.90" e Infinity Edge MT	0.94" Smooth	1.46" Decorative	1.46"
Masking Width O.62" Rail Design Infinity Edg Application Beverage & Beer MT Dairy & Deli Meat (ONRM) Ice Cream & Frozen Food Produce MT Door Widths & Swing Styles Available 24" (4' Opening, Bi-Swing without center mullion) 4', 6' 8', 12' MT	e Infinity Edge MT	Smooth	Decorative MT	
Rail Design Application Beverage & Beer MT Dairy & Deli MT Meat (ONRM) Ice Cream & Frozen Food Produce MT Door Widths & Swing Styles Available 24" (4' Opening, Bi-Swing without center mullion) 4', 6' 8', 12' MT	e Infinity Edge MT	MT	MT	Smooth
Application Beverage & Beer MT Dairy & Deli MT Meat (ONRM) MT Ice Cream & Frozen Food Produce MT Door Widths & Swing Styles Available 24" (4' Opening, Bi-Swing without center mullion) 4', 6' 8', 12' MT	MT	MT	MT	Smooth
Beverage & Beer MT Dairy & Deli MT Meat (ONRM) MT Ice Cream & Frozen Food Produce MT Door Widths & Swing Styles Available 24" (4' Opening, Bi-Swing without center mullion) 4', 6' 8', 12' MT				
Dairy & Deli MT Meat (ONRM) Ice Cream & Frozen Food Produce MT Door Widths & Swing Styles Available 24" (4' Opening, Bi-Swing without center mullion) 4', 6' 8', 12' MT				
Meat (ONRM) Ice Cream & Frozen Food Produce MT Door Widths & Swing Styles Available 24" (4' Opening, Bi-Swing without center mullion) 4', 6' 8', 12' MT	MT	MT	NAT	
Ice Cream & Frozen Food Produce MT Door Widths & Swing Styles Available 24" (4' Opening, Bi-Swing without center mullion) 4', 6' 8', 12' MT			IVII	
Produce MT Door Widths & Swing Styles Available 24" (4' Opening, Bi-Swing without center mullion) 4', 6' 8', 12' MT	MT	MT		
Door Widths & Swing Styles Available 24" (4' Opening, Bi-Swing without center mullion) 4', 6' 8', 12' MT	LT		LT	LT
24" (4' Opening, Bi-Swing without center mullion) 4', 6' 8', 12'	MT	MT	MT	
20" 2 thru 6 Doors Standard Swing	MT	MT		
30" - 2 thru 6 Doors, Standard Swing	MT/LT	MT	MT/LT	LT
Handle Options				
Vista Arch MT	MT/LT	MT		
Full-Length Integrated	MT/LT			
Slimline			MT/LT	LT
Additional Options				
Anti-Fog Film always provides clear visibility - without energy MT		MT	MT/LT	LT
Life Plus Gasket® - longer life gasket	MT/LT	1,1,1		Standard

^{* 210}Z Low Temp





Lighting

Typically, the last step is to beautifully display merchandise that engages the shopper, enhances the store experience and increases store profitability.

Selecting the right lighting is a crucial decision point in the visual merchandising process. CLARITY® offers best-in-class lighting, uniformity and high color rendering that improves product visibility.

Maximize your merchandising effectiveness with our latest lighting technologies; Optimax or our Clearvoyant® LED System.







Optimax Series LED Vertical Mullion Lighting makes your merchandise "pop" with superior illuminance, even uniformity, and color saturation. This displays the freshness of the products and entices the shopper to buy more products.



Vertical Lighting

FEATURES/ BENEFITS

- Vertical Mullion Reach-In Case Lighting and optic packages designed for both single swing and bi-swing (French) door applications.
- High color saturation with natural white light color.
- Industry-leading efficiency, up to 120 Lumens/Watt.
- 100,000-hour L70 life cycle for long-term reliability.
- 24V constant-voltage power supply.
- 94 CRI.
- IP 65.

Available in 3500K or 4000K

SHOWN ON LEFT

Silver Satin Infinity 90 with Vista Arch Handle.



Clearvoyant LEDs brilliantly light products with natural color saturation without creating hotspots or shadows with the use of a frosted lens, adjustable fixture and expertly-designed lights designed

FEATURES/ BENEFITS

- Horizontal LEDs designed for use in all Hillphoenix open case models and select door models for case illumination and product shelf lighting.
- Variable angle adjustment with positive detents for tuning the illumination on products.
- Diffused lens for ease on customers' eyes while reducing hot spots.
- Optimized lighting uniformity eliminates shadows.
- CRI ≥93 with a high R9.
- High color saturation across all color spectrums.
- L85 rating of 60.000 hours.
- 24VDC for increased safety and reliability.
- UL, NSF, IP65, DLC listings.

Available in 3000K, 3500K or 4000K

SHOWN ON LEFT

ONRM Reach-in designed specifically for Fresh Proteins, Angled Shelves with Clearvoyant LEDs and Mirror.



Anthony*

Hillphoenix.

Conyers, GA 30013

770-285-3264

hillphoenix.com

Call Us for CLARITY.

One source — so many options. Hillphoenix together with Anthony is your one-stop, one-shop resource for all of your refrigeration system needs. Whether it be a complete system installation of new CLARITY cases or a refit and refurbishment with new frame and/ or door upgrades. Whatever the application, it's clear the Hillphoenix product line has both the breadth and depth to meet your exact requirements. One call does it all, from consultation to design to installation. Take advantage of the convenience and peace of mind that come from working with the industry leader. Call us at 844.591.5937 for a little clarity and put us on the case today.

