

## SMD Profile Family


Service refrigerated merchandisers offered in blower coil, gravity coil, Coolgenix® and hot food applications for a multitude of merchandising needs.






# SMD Profile Family


## Blower Coil



**SMD-R** Refrigerated / Flat Glass  
Multi-deck Display  
Application: Deli




**SMD-R** Refrigerated / Curved Glass  
Multi-deck Display  
Application: Deli




**SMD-R** Refrigerated / Vertical Glass  
Multi-deck Display  
Application: Deli and Bakery

All SMD series cases are available in 52" and 54" case heights.


Refer to individual model sales sheets for a comprehensive list of standard features and available options.




**SMD-R-Bakery** Refrigerated / Flat Glass  
Multi-deck Display  
Application: Bakery



**SMD-R-Bakery** Refrigerated / Curved Glass  
Multi-deck Display  
Application: Bakery



**SMD-R-Candy** Refrigerated / Flat Glass  
Multi-deck Display  
Application: Candy



**SMD-R-Candy** Refrigerated / Curved Glass  
Multi-deck Display  
Application: Candy


Please consult Hillphoenix Engineering Reference Manual for dimensions, plan views and technical specifications. Specifications are subject to change without notice.

Designed for optimal performance in store environments where temperatures and humidity do not exceed 75°F and 55% R.H.




# SMD Profile Family


## Gravity Coil with Serpentine Assist



**SMD-RG** Refrigerated / Flat Glass  
Single-deck Display  
Application: Deli, Meat, and Seafood




**SMD-RG** Refrigerated / Curved Glass  
Single-deck Display  
Application: Deli, Meat, and Seafood




**SMD-RG** Refrigerated / Vertical Glass  
Single-deck Display  
Application: Deli, Meat, and Seafood




## Coolgenix®



**SMD-RGC** Refrigerated Coolgenix / Flat Glass  
Multi-deck Display  
Application: Meat and Seafood



**SMD-RGC** Refrigerated Coolgenix / Curved Glass  
Multi-deck Display  
Application: Meat and Seafood



**SMD-RGC** Refrigerated Coolgenix / Vertical Glass  
Multi-deck Display  
Application: Meat and Seafood

The SMD-RGC Coolgenix cases are standard 54”H and available with one or no shelves. Optional 58”H case height with up to two rows of shelves available.



Please consult Hillphoenix Engineering Reference Manual for dimensions, plan views and technical specifications. Specifications are subject to change without notice.


Designed for optimal performance in store environments where temperatures and humidity do not exceed 75°F and 55% R.H.






# SMD Profile Family


## Hot



**SMDH** | Hot / Flat Glass  
Single-deck Display  
Application: Deli Hot Foods



**SMDH** | Hot / Curved Glass  
Single-deck Display  
Application: Deli Hot Foods




**SMDH** | Hot / Vertical Glass  
Single-deck Display  
Application: Deli Hot Foods


SMDH Hot food service cases are standard with low wattage, long wave radiant heat system with a ceramic top heat, and dry hot wells. The heating is electronically controlled zone heating.



## Companion Self-service Cases



**DLPC-R** | Refrigerated  
Single-deck Display  
Application: Bakery, Beverage,  
Deli, Meat, and Seafood



**DLPF-R** | Refrigerated  
Multi-deck Display  
Application: Bakery, Beverage, and Deli



**SMDH** | Hot / Vertical Glass / Flat Front

Please consult Hillphoenix Engineering Reference Manual for dimensions, plan views and technical specifications. Specifications are subject to change without notice.

Designed for optimal performance in store environments where temperatures and humidity do not exceed 75°F and 55% R.H.





***Hillphoenix***<sup>®</sup>

2016 Gees Mill Road  
Conyers, GA 30013  
770-285-3264  
[www.hillphoenix.com](http://www.hillphoenix.com)